OIPE				
ORM PTO-1449	ATTY. DOCKET NO. MCA-538	SERIAL NO. 09/766,161		
IST OF PATENTS AND PUBLICATIONS FOR PPLICANT'S INFORMATION DISCLOSURE TATEMENT	Michael S. Colman			
	FILING DATE	GROUP		

REFERENCE DESIGNATION

U.S. PATENT DOCUMENTS

January 19, 2001

1723

EXAMINER ,INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
MAL	AA	5,707,812	1/1998	Horn et al.	435	6	
•	AB						
	AC						

FOREIGN PATENT DOCUMENTS

	1	DOCUMENT					TRANS	LATION
	1	NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	YES	NO
,(88	00/66723	11/2000	WO				
(M)	BC-	01/19482	3/2001	Wo		X		
4, 6	.BQ	01/79486	10/2001	WO				
	BD	0 442 026	8/1991	Europe			X-SR	

OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)

							
	CA	MultiScreen-384-PCR Plates User Guide P36	MultiScreen-384-PCR Plates User Guide P36239 Nr.4/00 von 2000				
KW/	REEK, F.H. u.a.: Use of Multiscreen plates for the preparation of bacterial DNA						
\mathcal{N}		suitable for PCR Biotechniques (1995)					
7	CC	QIAquick Multiwell PCR Purification Har	ndboo	k May	1999		
	CD	Copy of the foreign communication dated 10/200	04 with	Engli	sh translation		
EXAMINE	* /	Menn DATE CONSIDERED	5	12	105		
EXAMINER: Initial reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							
Crossed out = Duplicated in prov IDs s.							